Algorithm of student actions.

Pulp extirpation in temporary and permanent teeth: application of devitalizing paste.

- 1. Say greeting
- 2. Explain the course and the purpose of the procedure -connecting with child's allergy to anesthetics, on the first appointment during treatment of acute diffuse pulpitis we'll use devitalizing paste
- 3. Turn on the dental chair and lamp
- 4. Treat hands
- 5. Put on gloves
- 6. Put on a mask
- 7. Wear safety glasses
- 8. Take from Panmed sterile tray and choose the necessary tools, put them on the dental table
 - 1) sterile tray
 - 2) tweezers
 - 3) probe
 - 4) mirror
 - 5) excavator
 - 6) spreader
 - 7) spherical bur
 - 8) cylindrical bur
- 9. Insert a cylindrical bur into the high speed hand piece and open the carious cavity
- 10. Make a partial necrectomy with an excavator or a spherical bur
- 11. Carry out antiseptic treatment
- 12. Open the pulp horn with a spherical dental drill
- 13. Impose the Devit C paste with a probe on the open corner of the pulp
- 14. Apply a hermetic bandage made of water dentin or dentin paste
- 15. Announce the date of the next appointment
- 16. Turn off the light
- 17. Remove the glasses, leave them on the dental table
- 18. Remove gloves and place them in a container for used materials
- 19. Treat hands with antiseptic