N⁰	krok 2016
Торіс	Organization of sanitary and epidemiological control. Methods and means of hygienic upbringing of the population. Organization of work
	of the Public Health Center of the Ministry of Health.
Task	A regional cardiologist is tasked with the development of a plan for medioprophylactic measures aimed at decrease of cardiovascular
	mortality. What measures should be planned for secondary prevention?
Correct answer	Prevention of recurrences and complications
В	Referring patients for sanatorium-and-spa treatment
B C D E №	Prevention of diseases
D	Referring patients for in-patient treatment
Е	Optimization of life style and living conditions
N⁰	krok 2016
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A patient is on the sick leave for 4 months continuously from the date of injury. The treatment is going to last for another 1-2 months. Who has the right to extend the duration of medical certificate for this patient?
Correct answer	Medical advisory commission after medico-social expert commission examination
В	Medical superintendent
С	Medical advisory commission after inpati-ent treatment
C D E	District doctor upon agreement with a department chief
Е	Medico-social expert commission
Nº	KROK 2017
Topic	Methodological foundations for organizing statistical research in the health care system. Relative values. Graphical methods of analysis.
Task	Monthly dysentery morbidity in the region given in absolute figures is as follows: January - 6; February - 9; March - 11; April - 10; May - 16; June - 23; July - 19; August - 33; September - 58; October - 19; November - 11; December - 5. Annual total is 220 cases. What graphic presentation would provide the best visual for monthly deviations of dysentery morbidity from the average?
Correct answer	Radar chart
В	Мар
B C D	Cartogram
D	Pie chart
Е	Bar chart

№	krok 2016
Topic	Methodology of conducting medical examination.
Task	The institutions that take part in medi-cal examinations include prevention and treatment facilities, medical board of Ministry of Defense, medical board of Ministry of Home Affairs, medico-social expert commissions, forensic medical boards etc. What institutions are
	responsible for temporary disability examination?
Correct answer	Prevention and treatment facilities
В	Sanitary-and-prophylactic institutions
С	Medico-social expert commissions
D	Medical boards of Ministry of Defense
E	Medical boards of Ministry of Home Affairs
N⁰	krok 2016
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	Clinical statistical investigation was performed to determine efficiency of a new pharmacological preparation for patients with ischemic heart disease. What parametric test (coefficient) can be used to estimate reli-ability of the results?
Correct answer	Student's t-distribution
В	Sign test
С	Matching factor
D	Wilcoxon signed-rank test
Е	Kolmogorov-Smirnov test
№	krok 2016, 2015, 2012, 2010
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	The correlation between the service record and eosinophil concentration in blood was studied in workers at dyeing shops of textile factories. What index will be most informative for the analysis of this data?
Correct answer	Correlation factor
В	Student's criterion
С	Standardized index
D	Fitting criterion
Е	Sign index
№	krok 2016, 2012
Topic	Methodology of planning and organization of statistical study of the health of the population.

Task	The objective of a statistical study was to find out the extent of seeking medical care by the population. For this purpose 300 residents of the area were interviewed. Information was collected by means of a special questionnaire. What method of collecting information was used by researchers?
Correct answer	Anamnestic
B	Immediate registration
D C	Immediate registration
E	Doing extracts
E №	- krok 2016, 2015
Topic	Organization of work of children's hospitals and their activity record.
Task	In a rural health care area there is a case of child dying during the first month of life. To analyse this situation, among other measures, an
TASK	expert assessment of medical records is performed. What medical document should be considered first?
Compact analysis	
Correct answer	Child development history
B	Infant development history
	Vaccination card
D	Outpatient medical record
E	Child's medical record
<u>№</u>	krok 2016
Topic	Models of medical systems. Medical Insurance. Medical management.
Task	A region attended by a central regional hospital demonstrates increased hemorrhagic stroke morbidity. Essential hypertension morbidity, however, remains at the same level and is below the average level registered within the larger area. What managerial decision should be made in this case?
Correct answer	To design and implement measures for early diagnostics of arterial hypertension
В	To design and implement measures for primary prevention of essential hypertension
С	To design and implement measures for secondary prevention of hypertension complications
D	To design and implement measures for professional development of medical workers
Е	To design and implement improved dispensary system for hypertensive patients
№	krok 2016
Topic	Models of medical systems. Medical Insurance. Medical management.

Task	A region attended by a central regional hospital demonstrates increased hemorrhagic stroke morbidity. Essential hypertension morbidity,
	however, remains at the same level and is below the average level registered wi-thin the larger area. What managerial decision should be
	made in this case?
Correct answer	To design and implement measures for early diagnostics of arterial hypertension
В	To design and implement measures for primary prevention of essential hypertension
С	To design and implement measures for secondary prevention of hypertension complications
D	To design and implement measures for professional development of medical workers
E	To design and implement improved dispensary system for hypertensive patients
№	krok 2016, 2010, 2009
Topic	Assessment of health based on a set of statistical indicators of the state.
Task	Estimation of community health level involved analysis of a report on diseases regi-stered among the population of district under charge
	(reporting form 12). What index is calculated based on this report?
Correct answer	Common morbidity rate
В	Index of pathological affection
С	Index of morbidity with temporary disability
D	Index of hospitalized morbidity
E	Index of basic non-epidemic morbidity
N⁰	krok 2016
Topic	Assessment of health based on a set of statistical indicators of the state.
Task	Annual report of an in-patient ward presents data about the number of patient days and the number of patients, who have undergone
	treatment within a year. What work indicator of the in-patient ward can be calculated based on these data?
Correct answer	Average duration of in-patient treatment of a patient
В	Bed occupancy rate
С	Hospital bed turnover rate
D	Mortality
E	Efficient use of the hospital bed capacity
№	krok 2015
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.

Task Correct answer B C	 A patient with cardiac infarction is on sick leave with his medical certificate being continuously extended for 4 months according to a standard procedure. The disease is progressing. The issue is put forward to refer the patient to the industrial injury assessment board. Who among the medical staff of medical and preventive treatment facility is authorized to do this? Medical expert committee Attending medical doctor Head doctor of hospital department Deputy head doctor for assessment of temporary disability Head doctor
~	among the medical staff of medical and preventive treatment facility is authorized to do this? Medical expert committee Attending medical doctor Head doctor of hospital department Deputy head doctor for assessment of temporary disability Head doctor
~	Medical expert committee Attending medical doctor Head doctor of hospital department Deputy head doctor for assessment of temporary disability Head doctor
B C	Attending medical doctor Head doctor of hospital department Deputy head doctor for assessment of temporary disability Head doctor
С	Head doctor of hospital department Deputy head doctor for assessment of temporary disability Head doctor
	Deputy head doctor for assessment of temporary disability Head doctor
D	
E	
N⁰	krok 2015
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A patient is on sick leave for 4 months continuously from the date of injury. The treatment is going to last for another 1-2 months. Who is
	authorised to extend the duration of medical certificate for this patient?
Correct answer	Medical advisory commission after medicosocial expert commission examination
В	Medical superintendent
С	Medical advisory commission after inpatient treatment
D	District doctor by agreement with a department chief
E	Medico-social expert commission
№	krok 2015, 2010
Topic	Health of the population as a medical and social problem. Health strategies in modern conditions.
Task	Over a current year among workers of an institution 10% have not been ill a single time, 30% have been ill once, 15% - twice, 5% - 4
	times, the rest - 5 and more times. What is the percentage of workers belonging to the I health group?
Correct answer	55%
В	10%
С	40%
D	60%
E	22%
N₂	krok 2015
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.

Task	Establishments participating in medical examinations include: medical and preventive treatment facility, hygiene and preventive treatment
	facility, sociomedical expert committees, Ministry of Defence medical committees, Ministry of Domestic Affairs medical committees,
	forensic medicine agency, etc. Specify what service deals with sociomedical assessment of temporary disability:
Correct answer	Medical and preventive treatment facility
В	Hygiene and preventive treatment facility
С	Sociomedical expert committees
D	Ministry of Defence medical committees
E	Ministry of Domestic Affairs medical committees
Nº	krok 2015
Topic	Methodological foundations for organizing statistical research in the health care system. Relative values. Graphical methods of analysis.
Task	Various population groups mortality has been studied for a long time; territorial distribution of population and resulting changes in
	mortality trends are considered. What statstical method can be applied?
Correct answer	Time series analysis
В	Standardized ratio analysis
С	Correlation and regression analysis
D	Assessment of parameter difference reliability
E	Analysis of relative values
№	krok 2015
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A workshop resident doctor makes a list of workers, who are often ill, for special supervision. He takes into account the number of etiologically connected cases resulting in temporary disability that occurred in the span of a year for each worker. How many such cases should a worker have to be included in this group?
Correct answer	4 and more
В	1 and more
С	2 and more
D	3 and more
E	6 and more
Nº	krok 2015

Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A workshop resident doctor makes a list of workers, who are often ill, for special supervision. He takes into account the number of etiologically connected cases resulting in temporary disability that occurred in the span of a year for each worker. How many such cases should a worker have to be included in this group?
Correct answer	4 and more
В	1 and more
С	2 and more
D	3 and more
E	6 and more
№	krok 2015
Topic	Methodology for studying and estimating natural movement indicators.
Task	Estimation of community health level involved analysis of a report on diseases registered among the population of catchment area
	(reporting form 12). What index is calculated basing on this report?
Correct answer	Common morbidity rate
В	Index of pathological affection
С	Index of morbidity with temporary disability
D	Index of hospitalized morbidity
E	Index of basic non-epidemic morbidity
N⁰	krok 2014
Topic	Models of medical systems. Medical Insurance. Medical management.
Task	Head of a department and a trade-union group have appealed to the head of a hospital about dismissal of the senior nurse who has 17-year record of service. The facts of charge were confirmed and recognized by the nurse herself. The nurse lives with a daughter (who is divorced and unemployed) and a 9-month-old grandson. Make an administrative decision:
Correct answer	To continue the worker in office with a warning of dismissal in case of repeated violation of labor discipline
В	To discharge the worker, i.e. to satisfy demands of the collective
С	To issue the sick leave
D	To embark other officials or public organizations with this problem
E	
№	krok 2014
Topic	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.

Task	Within a year, in a maternity hospital there were 616 livebirths, one stillbirth, one infant died on the 5th day of life. What index can most
I dSK	accurately describe this situation?
Correct answer	Perinatal mortality
P	Total mortality
D C	Birthrate
D	
2	Infant mortality Natural increase
E	
<u>N</u> ⁰	krok 2014
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	A study of the structure of death causes in the urban population revealed that cardiovascular diseases accounted for 55,0% of all deaths. What statistic value represents these data?
Correct answer	Extensive index
В	Intensive index
С	Index of evidence
D	Index of correlation
Е	Correspondence index
№	krok 2014
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	An employee has been diseased for 4 months, further treatment is necessary, the patient is incapacitated. Who is authorized to provide further disability examination of this patient?
Correct answer	Medical and social expert board
В	Medical consultative board
С	Physician in charge and chief of department
D	Chief physician of a medical facility
Е	Deputy chief responsible for disability examination
№	KROK 2014
Topic	Methodology for studying and evaluating indicators morbidity: infectious, non-epidemic, hospitalized, with temporary disability.
Task	A factory's sectorial doctor selects a group of persons who often fall ill for thorough monitoring. At the same time he takes into
	consideration the number of etiologically related cases with temporary disability in each of the employees over the last year. An employee falls into this group if the number of sickness cases is:

Correct answer	4 or more
В	1 or more
С	2 or more
D	3 or more
Е	6 or more
№	krok 2014
Topic	Methodology of conducting medical examination.
Task	It is planned to organize a rural outpatient clinic. The patients will be able to visit the doctors of the following specialities:
Correct answer	Therapeutist, dentist, pediatrician, obstetrician-gynecologist
В	Therapeutist, pediatrician, neurologist
С	Pediatrician, obstetrician-gynaecologist, ophthalmologist
D	Pediatrician, therapeutist, ophthalmologist
E	Obstetrician-gynaecologist, therapeutist
№	krok 2014
Topic	Organization of provision of primary medical and sanitary assistance to the population by medical and preventive institutions on the basis
	of the priority development of family medicine.
Task	The outpatient department of a city hospital works also as a 60-bed day hospital for somatic patients. The department operates in a single-
	shift mode. What specialist selects patients for admission to the day hospital?
Correct answer	District doctor
В	Resident doctor
С	Chief of the outpatient department
D	Deputy chief of the hospital
E	Chief physician of the hospital
№	krok 2014
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	Within the structure of the region's population the share of persons aged 0 to 14 years is 25%, the share of persons aged 50 years and older
	is 30%. What concept most accurately describes this demographic situation?
Correct answer	Regressive type of population age structure
В	Progressive type of population age structure
С	Cohort reproduction
D	Stationary type of population age structure

Е	Immigration of population
N⁰	krok 2013
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A patient is on the sick leave for 4 months continuously from the date of injury. The treatment is going to last for 1-2 months more. Who
~	has the right to extend the duration of medical certificate for this patient?
Correct answer	Medical advisory commission after medico-social expert commission examination
В	Medical superintendent
С	Medical advisory commission after inpatient treatment
D	District doctor by agreement with a department chief
E	Medico-social expert commission
№	krok 2013
Topic	Assessment of health status based on a set of statistical indicators of the state.
Task	A rural hospital serves 6200 people. Preventive examinations were planned for 560 farm workers with different risk factors. 400 workers underwent preventive examination. 120 individuals were found to have cardiovascular problems, 90 of them were registered with a dispensary department for health care maintenance. Which indicator should be used to assess the organization of health care maintenance at the hospital?
Correct answer	Share of workers who actually underwent preventive examinations
В	Share of newly diagnosed patients
С	Share of persons subject to preventive examinations
D	Share of diseased persons
Е	Incidence of cardiovascular diseases
N⁰	krok 2013
Topic	Assessment of health status based on a set of statistical indicators of the state.
Task	The share of circulatory diseases was 15% in the total of registered diseases among city population. What statistic indicator is it?
Correct answer	Extensive
В	Intensive
С	Demonstrative
D	Ratio
Е	Average
N⁰	krok 2013

Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	An employee was on a business trip to another city, where he fell ill and was hospitalized. The sick leave certificate can be issued:
Correct answer	With the permission of the head doctor of the city hospital
В	With the permission of the deputy head doctor after the disability examination
С	With the permission of the deputy chief doctor in charge of medical work
D	By doctor in charge and chief of department
E	By doctor in charge
N⁰	krok 2013
Topic	Methodology of conducting medical examination.
Task	A man abused alcohol, drank away the property and wages thus getting himself, his wife and two underage children into deep financial problems. He was registered in a local drug abuse clinic. His wife asked a family doctor, what kind of petition she could file in court:
Correct answer	On restriction of her husband's civil capacity
В	On recognition of her husband's incapacity
С	On recognition of her husband's partial incapacity
D	On recognition of her husband's incompetence
E	On recognition of her husband's disability
№	krok 2013
Topic	Models of medical systems. Medical Insurance. Medical management.
Task	Analysis of organization of medical care in a regional centre has shown that every year about 12% of patients receive inpatient care for diseases that don't require round-the-clock monitoring and intensive care. What are the most appropriate organizational changes required to address this problem?
Correct answer	Development of medical care forms replacing the in-patient care
В	Changes to the statute of outpatient clinics
С	Development of primary care
D	Restructuring of specialized care
Е	Upgrading of hospital facilities
N₂	krok 2013
Торіс	Methodological foundations for organizing statistical research in the health care system. Relative values. Graphical methods of analysis.

Task	Doctors of a polyclinic conduct a statistical research of the disease outcomes in two groups of patients (those registered with dispensary
	departments and unregistered ones), depending on age and level of hygiene. What type of statistical tables would be most suitable for
	profound analysis of the interrelation between the above-mentioned variables?
Correct answer	Cross tabulation
В	Analytical
С	Group
D	Simple
E	Developing
N⁰	krok 2013
Торіс	Organization of provision of primary medical and sanitary assistance to the population by medical and preventive institutions on the basis of the priority development of family medicine.
Task	It is planned to build a multidisciplinary hospital with 500 beds in a town. Specify the location of a polyclinic within the medical centre:
Correct answer	At the main entrance
В	In the garden and park area
С	In the centre of the territory near medical buildings
D	It is not allowed to place the polyclinic within the centre territory
E	In the service zone
N⁰	krok 2012, 2010
Topic	Models of medical systems. Medical Insurance. Medical management.
Task	Head of a department and a tradeunion group have appealed to the head of a hospital about dismissal of the senior nurse who has 17 year record of service. The facts of charge were confirmed and recognized by the nurse herself. This nurse lives with a daughter (who is divorced and unemployed) and a 9-monthold grandson. Make an administrative decision:
Correct answer	To continue the worker in office with a warning of dismissal in case of repeated violation of labor discipline
В	To discharge the worker, i.e. to satisfy demands of the collective
С	To issue the sick list
D	To shift the solution of this problem on other officials or public organizations
E	-
N⁰	krok 2012
Topic	Assessment of health status based on a set of statistical indicators of the state.
Task	Deputy of chief medical officer carried out a study of morbidity rate for population which had been served at the polyclinics within the last 5 years. What statistical values can help in calculation of morbidity rates?

Correct answer	Relative values
В	Standard values
С	Average values
D	Absolute values
Е	Dynamic series
№	krok 2012
Topic	Organization of work of children's hospitals and their activity record.
Task	To study physical development of children and adolescents, anthropometric studies are widely used. Choose a physiometric method of study from the below given.
Correct answer	Determination of vital capacity of lungs
В	Measurement of growth
С	Determination of thorax form
D	Determination of vertebra form
Е	Determination of body weight
No	krok 2012, 2011
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A patient is on the sick leave for 4 months continuously from the date of injury. The treatment is going to last for 1-2 months. Who has the right to extend the duration of medical certificate for this patient?
Correct answer	Medical advisory commission after medico-social expert commission examination
В	Medical superintendent
С	Medical advisory commission after inpatient treatment
D	District doctor by agreement with a department chief
Е	Medico-social expert commission
N⁰	krok 2012, 2009, 2008
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	The results of 5 year monitoring allowed to estimate the level of environmental influence upon health indices of popultaion. What statistic
	method should be chosen?
Correct answer	Calculation of correlation coefficient
В	Calculation of conformity coefficient
С	Calculation of coefficient of difference validity

D	Calculation of regression coefficient
Е	Calculation of dynamic indices
Nº	krok 2012
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	A city's population is 400000 inhabitants in 2005 there were registered 5600 deaths, including 3300 cases caused by cardiovascular
	diseases, 730 - by tumours. Which of the following indicators allows to characterize the share of the circulatory system diseases as the
Comment of the second	cause of death in the city?
Correct answer	Extensive index
B	Intensive index
<u>C</u>	Index of relative intensity
D	Demonstrativeness index
E	Ratio
№	krok 2012
Topic	Organization of provision of primary medical and sanitary assistance to the population by medical and preventive institutions on the basis of the priority development of family medicine.
Task	It is planned to organize a rural outpatient clinic. The patients will be able to visit the doctors of the following specialities:
Correct answer	Therapeutist, dentist, pediatrician, obstetrician-gynecologist
В	Therapeutist, pediatrician, neurologist
С	Pediatrician, obstetrician-gynaecologist, ophthalmologist
D	Pediatrician, therapeutist, ophthalmologist
Е	Obstetrician-gynaecologist, therapeutist
N⁰	krok 2012
Торіс	Organization of provision of primary medical and sanitary assistance to the population by medical and preventive institutions on the basis of the priority development of family medicine.
Task	It is planned to organize a rural outpatient clinic. The patients will be able to visit the doctors of the following specialities:
Correct answer	Therapeutist, dentist, pediatrician, obstetrician-gynecologist
В	Therapeutist, pediatrician, neurologist
С	Pediatrician, obstetrician-gynaecologist, ophthalmologist
D	Pediatrician, therapeutist, ophthalmologist
Е	Obstetrician-gynaecologist, therapeutist
N⁰	krok 2012

Topic	Organization of work of children's hospitals and their activity record.
Task	In a rural health district a child died in the first month of life. In order to analyze this situation it was necessary to complete expert
	evaluation of medical records. Which medical document was analyzed in the first place?
Correct answer	Child developmental history record
В	Neonatal record
С	Record of vaccinations
D	Medical record of an outpatient
E	Child's medical record
N⁰	krok 2012
Topic	Organization of work of children's hospitals and their activity record.
Task	The head of prenatal care department intends to complete expert evaluation of compliance with medical and technological standards of
	pregnancy follow-up. What documents must be verified for this purpose?
Correct answer	Individual records of pregnant and postpartum women
В	Prenatal records
С	Medical records of outpatients
D	Labour and delivery record
E	Neonatal record
N⁰	krok 2012
Topic	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.
Task	The head of prenatal care department intends to complete expert evaluation of compliance with medical and technological standards of pregnancy follow-up. What documents must be verified for this purpose?
Correct answer	Individual records of pregnant and postpartum women
В	Prenatal records
С	Medical records of outpatients
D	Labour and delivery record
Е	Neonatal record
N⁰	krok 2011
Topic	Assessment of health based on a set of statistical indicators of the state.
Task	A therapeutist needs to analyze adult health in the area of service. Which groups of indicators will be included into this analysis?
Correct answer	Demographic, sickness rates, disability
В	Demographic, sickness rates, physical development

С	Sickness rates, disability, death rates
C D	Birth rates, sickness rates, disability
Е	Sickness rates, death rates, physical development
E № Topic	krok 2011
Topic	Methodology of conducting medical examination.
Task	The institutions which take part in carrying out medical examinations can be prevention and treatment facilities, medical board of Ministry
	of Defense, medical board of Ministry of Home Affairs, medico-social expert commissions, forensic medical boards etc. What institutions
	are responsible for temporary disability examination?
Correct answer	Prevention and treatment facilities
В	Sanitary-and-prophylactic institutions
B C D	Medico-social expert commissions
D	Medical boards of Ministry of Defense
E	Medical boards of Ministry of Home Affairs
№	krok 2011
Topic	Methodology of conducting expert assessments of medical supplies of certain contingents.
Task	In the current year general practitioners of the municipal polyclinic have referred 11 patients with coronary artery disease to the in-patient
	hospital. In 3 cases the diagnosis wasn't confirmed. What managerial decision shoud be made in such case?
Correct answer	Analysis of each case of diagnostic divergence
	Analysis of medical check-up quality
B C D	Analysis of diagnostic examination quality
	Analysis of doctors' skill level
E	Analysis of material and technical basis of the polyclinic
№	krok 2011
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A factory worker has ARD complicated by acute bronchitis. He receives treatment in the outpatient setting. The attending doctor has
	issued him a medical certificate for 5 days and then extended its duration by 5 more days. Patient can't get down to work because of his
	health status. Who should extend the duration of medical certificate for this patient?
Correct answer	A department chief
В	Medical superintendent
B C	Deputy medical superintendent in charge of temporary disability examination

D	Deputy medical superintendent in charge of medical treatment
Е	Medical advisory commission
№	krok 2011
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	The correlation between the service record and eosinophil concentration in blood has been studied in female workers of dyeing shops of
	textile factories. What index will be the most informative for the analysis of this data?
Correct answer	Correlation factor
В	Student's criterion
С	Standardized index
D	Fitting criterion
E	Sign index
№	krok 2011, 2010
Topic	Methodology of conducting expert assessments of medical supplies of certain contingents.
Task	A department chief of an in-patient hospital is going to inspect resident doctors as to observation of medical technological standards of patient service. What documentation should be checked for this purpose?
Correct answer	Health cards of in-patients
В	Statistic cards of discharged patients
С	Treatment sheets
D	Registry of operative interventions
Е	Annual report of a patient care institution
№	krok 2011
Topic	Organization of tertiary treatment and preventive assistance.
Task	A 50-year-old male suburbanite underwent treatment in rural outpatient clinic for pneumonia. The treatment didn't have effect and the disease got complicated by exudative pleuritis. What prevention and treatment facility should the patient be referred to for further aid?
Correct answer	Central district hospital
В	Regional hospital
С	Phthisio-pulmonological dispensary
D	Municipal hospital
E	Tuberculosis dispensary
№	krok 2010
Topic	Organization of work of children's hospitals and their activity record.

Task	25 unorganized children in the age 2-3 year will be observed on a pediatric district it in the current year. What scheduled number of initial
	visitations will make to this group of children?
Correct answer	50
В	20
С	40
D	100
E	200
№	krok 2010
Торіс	Organization of provision of primary medical and sanitary assistance to the population by medical and preventive institutions on the basis of the priority development of family medicine.
Task	A young patient who came to a policlinic was diagnosed with the 1 stage of hypertension. How often should he undergo the medical check-up?
Correct answer	Twice a year
В	Once a year
С	3 times a year
D	4 times a year
E	5 times a year
№	krok 2010
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A painter working at a motorcar plant was diagnosed with acute intoxication with amide compounds of benzene, moderate severity grade. The in-patient treatment resulted in considerable health improvement. What expert decision should be made in this case?
Correct answer	The patient should be issued a sick list for out-patient treatment
В	The patient may get back to work providing he will keep to hygiene and sanitary regulations
С	The patient should be referred to the Medical and Social Expert Commission for assigning the disability group because of an occupational disease
D	The patient should be referred to the Medical and Social Expert Commission for determination of percentage of work capicty loss
Е	-
№	krok 2010, 2009
Торіс	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.

Task	A maternity hospital registered 616 live births, 1 stillbirth, 1 death on the 5th day of life over a 1 year period. What index allows the most
I WOIL	precise estimation of this situation?
Correct answer	Perinatal mortality
B	Crude mortality rate
С	Natality
D	Neonatal mortality
Е	Natural increase
№	krok 2010, 2009
Topic	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.
Task	A maternity hospital registered 616 live births, 1 stillbirth, 1 death on the 5th day of life over a 1 year period. What index allows the most precise estimation of this situation?
Correct answer	Perinatal mortality
В	Crude mortality rate
С	Natality
D	Neonatal mortality
E	Natural increase
№	krok 2010, 2009
Topic	Standardization method.
Task	Study of morbidity rate in a city N revealed that population of different administrative districts differed in age structure. What statistic method allows to eliminate influence of this factor upon morbidity indices?
Correct answer	Standardization
В	Wilcoxon's t-criterion
С	Correlative regressive analysis
D	Analysis of dynamic series
Е	Calculation of average values
№	krok 2010
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A worker who undergoes regular medical check-up for duodenal ulcer received a subsidized 24-day sanatorium voucher from his plant. The term of annual leave of a worker is 24 calender days, it will take 4 days more to get to the sanatorium and back home. What is the procedure of obtaining a 4-day sick-leave?

Correct answer	Medical Expert Commission issues a 4-day sick list
В	Medical Expert Commission issues a 28-day sick list
С	The doctor in charge issues a 4-day sick list
D	The doctor in charge issues a health certificate and sanatorium patient's file for 28 days
Е	Medical Expert Commission issues a 4-day health certificate
№	krok 2010
Topic	Methodology for studying and evaluating indicators morbidity: infectious, non-epidemic, hospitalized, with temporary disability.
Task	Statistic of patients of common medical practice displays constant increase in elderly and old people number. What kind of pathology is expected to prevail in the morbidity structure of population in question?
Correct answer	Chronic pathology
В	Occupational pathology
С	Non-epidemic pathology
D	Acute pathology
E	Infectious pathology
№	krok 2010
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A 46-year-old patient was issued a 10-day sick list because of exacerbation of chronic cholecystitis. The patient's general condition got better, but the clinical manifestations of the disease are still present. What authority is entitled to extend the sick list?
Correct answer	Medical Expert Commission
В	Family doctor
С	Deputy head doctor for terapeutic management
D	Deputy head doctor for medical-labour expertise
E	Head doctor
№	krok 2009, 2008
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	The average body lenth of newborn boys is 50,9 cm at a sigma 1,66; and average mass - 3432 at a sigma 5,00. What criterion is necessary
	in order to compare degree of variability of these signs?
Correct answer	Coefficient of variation
В	Sigma
С	Limit

D	Amplitude
Е	Coefficient of association
N⁰	krok 2009
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	Indicate the registration medical document for the patient, who 21.02. was addressed to the doctor with diagnosis ARVD for the first time in this year:
Correct answer	The statistical coupon is to be filled in and it is necessary to deliver on a sign (+)
В	The statistical coupon for registration of final diagnosis is not necessary
С	The statistical coupon is to be filled in, but a sign (+) is not necessary to be put in
D	It is necessary to fill in the emergency notice on a case of a contagion
Е	The necessary registration form is not indicated
N⁰	krok 2009
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	Indicate the registration medical document for the patient, who 21.02. was addressed to the doctor with diagnosis ARVD for the first time in this year:
Correct answer	The statistical coupon is to be filled in and it is necessary to deliver on a sign (+)
В	The statistical coupon for registration of final diagnosis is not necessary
С	The statistical coupon is to be filled in, but a sign (+) is not necessary to be put in
D	It is necessary to fill in the emergency notice on a case of a contagion
Е	The necessary registration form is not indicated
№	krok 2009
Торіс	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	What is the maximum duration of medical certificate in case of tuberculosis?
Correct answer	2 months
В	Week
С	2 weeks
D	Month
Е	10 months

N⁰	krok 2009
Topic	Organization of work of children's hospitals and their activity record.
Task	25 children at the age of 2-3 years who don't attend any child welfare insti-tutions should be observed by a district pediatrician within the
	current year. How many initial visits of this group of chi-ldren should be planned?
Correct answer	50
В	20
С	40
D	100
Е	200
№	krok 2009
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A 37 year old patient applied to a local therapeutist. As a result of exacerbation of chronic obstructive bronchitis the patient had
	been temporarily disabled for 117 days within 1 year. What tactics will be legally correct?
Correct answer	The patient should be referred to the medicosocial expertise
В	The therapeutist should extend a medical certificate
С	The patient should be referred to the medical consultation comission for extension of medical certificate
D	The therapeutist should issue a new medical certificate
E	The patient shoul be referred to the sanatorium-and-spa treatment
№	krok 2009, 2008, 2007
Topic	The organization and content of the work of outpatient clinics of different levels. accounting and analysis of outpatient clinics of different
	levels.
Task	At year-end hospital administration has obtained the following data: annual number of treated patients and average annual number of beds
	used for patients' treatment. What index of hospital work can be calculated on the base of this data?
Correct answer	Bed turnover
В	Bed resources of the hospital
С	Average annual bed occupancy
D	Average duration of patients' presence in the hospital
E	Average bed idle time
№	krok 2009
Topic	Methodology for studying and evaluating indicators morbidity: infectious, non-epidemic, hospitalized, with temporary disability

Task	Study of morbidity with temporary disability among workers of a machine building plant revealed that average duration of a case was 20
	days. What diseases influenced upon the index value?
Correct answer	Chronic
В	Acute
С	Subacute
D	Preexisting diseases
E	Hard to determine
N⁰	krok 2009
Topic	Methodology of conducting medical examination.
Task	Administration of a plant producing red lead paint intends to form a group of medical specialists for periodical medical examinations.
	What specialist must be obligatory included into this group?
Correct answer	Neuropathologist
В	Gynaecologist
С	Psychiatrist
D	Dermatologist
E	Otolaryngologyst
N⁰	krok 2009
Topic	Methodology for studying and estimating natural movement indicators.
Task	Indices that characterize population health include demographic indices. What environment is used for calculation of these indices?
Correct answer	Population number
В	Employment number
С	Number of hospitalized people
D	Number of patients
E	Number of population being liable to preventive examination
№	krok 2009
Topic	Organization and maintenance of work of inpatient institutions of different levels, accounting and analysis of their activities.
Task	A plot of land with total area of 2,0 hectare was intended for building of a hospital. The maximal capacity of the hospital will be:
Correct answer	100 beds
В	200 beds
С	400 beds
D	800 beds

Е	Over 1000 beds
№	krok 2009
Topic	Organization and maintenance of work of inpatient institutions of different levels, accounting and analysis of their activities.
Task	A department chief of an in-patient hospital is going to examine resident doctors as to observation of medical-technological standards of patient service. What documentation should be checked for this purpose?
Correct answer	Health cards of in-patients
В	Statistic cards of discharged patients
С	Treatment sheets
D	Registry of operative interventions
E	Annual report of a patient care institution
№	krok 2008
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	What method is applied to establish rate of correlation between age of men and their mortality due to myocardial infarction?
Correct answer	Method of grade correlation (Spirman)
В	Correlation ratio
С	The quadrate method (Pirson)
D	The Indirect method (Student)
E	Method of graduated correlation (Armler)
№	krok 2008
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A 38 year old man was admitted to a hospital from his working place on July because of hip fracture. He was invalid till November 19. Requires prolongation of treatment. Who decides on the issue of further temporary invalidity?
Correct answer	Specialized (traumatologic) MSEC
В	DCC
С	The head physician of a polyclinic
D	Interregional general MSEC
E	Regional MSEC
N⁰	krok 2008
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.

Task	An outpatient hospital made record of 11600 diseases within one year. Among them influenza and ARD make up 5800, circulatory system diseases - 3480, digesti-on diseases - 1300, other diseases - 1020. What relative index can be calculated according this data?
Correct answer	Extensive
В	Intensive
С	Visualization
D	Correlation
E	-
N⁰	krok 2008, 2007
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	During inspection of sanitary conditions of studying at a technical university it was necessary to evaluate the visual regimen of students, who study from 9 a.m to 3 p.m. What index of natural light will be the most informative?
Correct answer	Natural light coefficient
В	Light coefficient
С	Depth of study room
D	Time of the room insolation
Е	Presence of mixed (superolateral) light
N⁰	krok 2008
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A 34 year old coal miner who has been in service for 10 years was discharged from an occupational disease clinic after examination and treatment. He was diagnosed with the I stage of anthracosilicosis, peribronchitis, 0 stage of respiratory failure. What expert decision should be taken about his working capacity?
Correct answer	He should be referred to the local medical expert comission for determination of his disability group for the period of re-training
В	He can continue working as coal miner provided that sanitary and hygienic conditions are observed
С	He should be given medical certificate for the further out-patient treatment
D	He should stay on the sick-list to consolidate treatment results
Е	He should be referred to the local medical expert comission for determination of percentage of working capacity loss
N⁰	krok 2008
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.

Task	Clinical and statistical study was devoted to the effect of a new pharmacological medication upon the patients with coronary heart disease.
	What parametric criterion (coefficient) can be used for estimation of results validity?
Correct answer	Student's coefficient (t)
В	Sign criterion
 C	Conformity coefficient
D	Wilcoxon's t-criterion
Е	Kolmogorov-Smirnov's criterion
Nº	krok 2008
Topic	Characteristics and analysis of statistical data. average values and variations.
Task	In order to improve organism tolerance of boarding-school pupils a doctor developed a program. The program is based upon the following principles: graduality, consistency, indivi-uality, coomplexity. What of the main principles of organism tempering wasn't taken into account?
Correct answer	Systematicness
В	Autodefense increase
С	Increase of influence force
D	Increase of influence intensity
E	Increase of resistance
Nº	krok 2008
Topic	Methodological foundations for organizing statistical research in the health care system. relative values. graphical methods of analysis.
Task	Researchers studied disease incidence of influenza and acute respiratory viral infection within the last 5 years. What kind of graphic presentation should be used for the best visualization of this data?
Correct answer	Linear diagram
В	Pie diagram
С	Bar diagram
D	Histogram
Е	Radial diagram
N⁰	krok 2007
Topic	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.
Task	A number of viable fetuses per 1000 women at the age between 15 and 44 is determined by:
Correct answer	Genital index
В	Reproductive level

С	Birth rate
D	Perinatal rate
Е	Obstetric rate
№	krok 2007
Topic	Parametric and nonparametric methods for estimating and analyzing statistical hypotheses.
Task	The parameter of infantile mortality for the last year was - 16,3, in present year - 15,7. Name a kind of the diagram that can be used for a graphic representation of it:
Correct answer	Stylar
В	Linear
С	Intrastylar
D	Sector
Е	Radial
№	krok 2007
Topic	Standardization method.
Task	Prevalence of a disease in region N amounted 1156 occurences per 1000 of inhabitants. What of the mentioned indices characterizes the disease prevalence?
Correct answer	Intensive
В	Extensive
С	Ratio
D	Visual index
Е	Standardized
№	krok 2007
Topic	Methodology of examination of temporary disability, procedure of implementation. Organization of examination of permanent disability.
Task	A patient consulted a doctor about acure respiratory viral infection. The patient was acknowledged to be off work. The doctor issued him a medical certificate for 5 days. The patient is not recovering. What measures should the doctor take in order to legalize the further disability of patient?
Correct answer	To prolong the medical certificate at his own discretion but no more than for 10 days in total
В	To prolong the medical certificate at his own discretion but no more than for 6 days in total
С	To prolong the medical certificate together with department superintendent
D	To send the patient to the medical consultative commission

Е	To send the patient to the medical social expert comission
N⁰	krok 2007
Topic	Organization and maintenance of maternity hospitals, accounting and analysis of their activities.
Task	A district doctor keeps the record of reconvalescents after infectious diseases, people who are disposed to frequent and long-lasting
	diseases, patients with chronic pathologies. What category of patients should belong to the III health group?
Correct answer	People with chronic diseases
В	People disposed to frequent and long-lasting diseases
С	People with chronic pathologies and disposed to frequent and long-lasting diseases
D	Reconvalescents after infectious diseases and patients with chronic pathologies
E	All above mentioned categories
N⁰	krok 2007
Topic	Methodological foundations for organizing statistical research in the health care system. relative values. graphical methods of analysis.
Task	A doctor of the general practice has registered the following death causes for the previous year: the first place was taken by cardiovascular
	diseases (60%), the second - by tumors (18%), then - traumas (8,3%) etc. What diagrams will provide the most substantial information
	about the registered ocurrences?
Correct answer	Pie diagram
В	Cartogram
С	Line diagram
D	Circle diagram
Е	Column diagram
N⁰	krok 2007
Topic	Organization and maintenance of work of inpatient institutions of different levels, accounting and analysis of their activities.
Task	The total area of ground intended for building of a regional hospital is 2,0 hectare. What is the highest possible capacity of the in-patient
	hospital that can be built upon this ground?
Correct answer	100 beds
В	200 beds
С	400 beds
D	800 beds
Е	Over 1000 beds
№	krok 2018
Topic	Parametric and nonparametric methods of estimation of probability

Task	The inpatient surgery unit has introduced the method of laparoscopic cholecystectomy into its practice. As the result the average duration of postoperative care provided to the patients could be reduced to 3.4 ± 0.8 days compared to 7.3 ± 1.1 days that were required after non-laparoscopic cholecystectomy. What method of medical statistics can confirm the statistical significance of the difference between these two estimates?
Correct answer	Calculation of Student's confidence interval
В	Calculation of correlation coefficient
С	Calculation of standardized ratio
D	Calculation of average values (measures ofcentral tendency)
E	Calculation of relative values
N⁰	krok 2018
Topic	Parametric and nonparametric methods of estimation of probability
Task	Due to introduction of a new treatment method, average duration of therapy in the experimental group was 12.3 ± 0.2 days compared to 15.4 ± 0.4 days in the control group that was treated by the old method. What calculations should be made to estimate the statistical significance of the difference in the results?
Correct answer	T-test (Student's t-distribution)
B	Sign test (Z-test)
 C	Matching factor (chisquared test)
D	Wilcoxon T-test
Е	Kolmogorov-Smirnov test
N⁰	krok 2018
Topic	Medical and social aspects of temporary disability
Task	Establishments participating in medical examinations include: medical and preventive treatment facilities, hygiene and preventive treatment facilities, sociomedical expert committees, Ministry of Defence medical committees, Ministry of Domestic Affairs medical committees, forensic medicine agency, etc. Specify what service deals with sociomedical assessment of temporary disability:
Correct answer	Medical and preventive treatment facilities
В	Hygiene and preventive treatment facilities
С	Sociomedical expert committees
D	Ministry of Defence medical committees
Е	Ministry of Domestic Affairs medical committees
N⁰	krok 2018
Topic	Medical and social aspects of permanent disability

Task	An employee has been sick for 4 months, further treatment is necessary, the patient is unable to work. Who is authorized to provide further
	disability examination of this patient?
Correct answer	Sociomedical expert committee
В	Medical consultative board
С	Physician in charge and the head of thedepartment
D	Chief physician of a medical facility
Е	Deputy chief responsible for disability examination
№	krok 2018
Topic	Correlation and regression analysis
Task	To assess the effectiveness of medical technologies and determine the power and direction of their effect on the public health indicators, the research was conducted to study the immunization rate of children and measles incidence rate by district. What method of statistical
	analysis should be applied in this case?
Correct answer	Calculation of correlation coefficient
В	Calculation of morbidity index among thenonvaccinated
С	Calculation of coefficient of agreement
D	Calculation of standardized ratio
Е	Calculation of statistical significance of the difference between two estimates
N⁰	krok 2018
Topic	Statistical information for the assessment activity of medical institutions
Task	Estimation of community health level involved analysis of a report on diseases registered among the population of district under charge (reporting form 12). What index is calculated based on this report?
Correct answer	Prevalence
В	Index of pathological affection
С	Index of morbidity with temporary disability
D	Index of hospitalized morbidity
Е	Index of basic non-epidemic morbidity
№	krok 2018
Topic	Organization of secondary (specialized) medical and preventive care
Task	A 52 year old man came to see his family physician complaining of pain in the chest. After taking history and performing physical exam
	the doctor decided to direct the patient to cardiologist for a consultation. What level of medical care is being proposed to the patient?

Correct answer	Secondary healthcare
В	Emergency healthcare
С	Primary healthcare
D	Tertiarehealtcare
Е	Palliative care
N⁰	krok 2018
Topic	Organization of primary medical care medical institutions
Task	A 30-year-old woman made an appointment with the family doctor for scheduled vaccination of her 2-year-old child. What type of healthcare provides such medical services?
Correct answer	Primary healthcare
В	Emergency aid
С	Secondary healthcare
D	Tertiary healthcare
E	Palliative care
N⁰	krok 2019
Topic	Emergency public health
Task	At the railroad crossing a passenger train collided with a bus. In this collision 26 bus passenges died, another 18 passengers received mechanical injuries of varying severity Where will be professional medical aid provided for the victims of this accident? Who will provide this aid?
Correct answer	In medical institutions; all listed types of healthcare workers
В	At the site of the accident; specialized second-response emergency teams
С	In medico-prophylactic institutions; specialized second-response emergency teams
D	In medico-prophylactic institutions: general physicians and surgeons
E	At the site of the accident; first-response emergency teams
N⁰	krok 2019
Topic	Correlation and regression analysis
Task	To assess the effectiveness of medical technologies and determine the power and direction of their effect on the public health indicators, the research was conducted to study the immunization rate of children and measles incidence rate by district. What method of statistical analysis should be applied in this case?
Correct answer	Calculation of correlation coefficient
В	Calculation of matching factor

С	Calculation of standardized ratio
D	Calculation of morbidity index among the nonvaccinated
Е	Calculation of statistical significance of the difference between two estimates
N⁰	krok 2019
Topic	Organization of secondary (specialized) medical and preventive care
Task	Indicators of work of inpatient departments in the city hospitals for the past year were analyzed. After that the. Meeting was held at the central city hospital and, based on the results 01 the analysis. A decision was made to decrease the number of beds in the inpatient departments, and instead open daycare units with partial hospitalization in the city polyclinics. What is the main goal of this decision?
Correct answer	Rational use of the bed fund
В	Decrease of the length of inpatient stay
С	Optimization of the average bed occupancy rate per year
D	Intensilication of the bed fund usage
E	Decreased mortality during inpatient treatment
N⁰	krok 2019
Topic	Organization of primary health care
Task	A 30-year—old woman made an appointment with the family doctor for scheduled vaccination of her 2-year—old child. What type of healthcare provides such medical services?
Correct answer	Primary healthcare
В	Tertiary healthcare
С	Secondary healthcare
D	Emergency aid
Е	Palliative care
N⁰	krok 2019
Topic	The method of standardization
Task	During analysis of morbidity in the city, it was determined that age structure of population is different in each district. What statistical method allows to exclude this factor. so that it would not skew the morbidity data?
Correct answer	Standardization
В	Dynamic time series analysis
С	Wilcoxon signed-rank test
D	Correlation-regression analysis

Е	Analysis of average values
№	krok 2019
Topic	Familiarization and filling of forms of primary records
Task	A district doctor has diagnosed one of his patients with dysentery. What accounting document reflects this type of morbidity?
Correct answer	Urgent report
В	Certificate of temporary disability
С	Report on a major non—epidemic disease
D	Control card of a patient registered for regular eheek-ups
Е	Statistical report
№	krok 2019
Topic	Parametric and nonparametric methods of estimation of reliability
Task	Clinical statistical investigation was performed to determine effectiveness of a new pharmacological preparation for patients withischemie heart disease. What parametric test (coefficient) can be used to estimate the reliability of the results?
Correct answer	Student's t-distribution
В	Kolmogorov-Smirnov test
С	Matching [actor
D	Sign test
Е	Wilcoxon signed-rank test
№	krok 2019
Topic	discipline Social medicine and organization of health care
Task	topicOrganization of secondary (specialized) medical and preventive care In the inpatient gynecological unit within a year 6500 women underwent treatment. They spent there a total of 102000 bed-days. What indicator of the gynecological unit work can be calculated based on these data?
Correct answer	Average length of inpatient stay
В	Bed turnover rate
С	Average bed occupancy rate per year
D	Number of beds by hospital department
E	Planned bed occupancy rate per year
N⁰	krok 2019
Topic	Prevention in Public Health

Task	In the process of hiring a prospective employee has undergone preventive medical examination and was declared fit to work in this
i ush	manufacturing environment. What type of preventive medical examination was it?
Correct answer	Preliminary
B	Scheduled
C	Periodical
D	Comprehensive
Е	Specific
№	krok 2019
Topic	Design of epidemiological studies, case-control, cohort, randomized clinical trials
Task	Clinical trials have proved the "Lipoflavon" drug to be effective for treatment of unstable angina pectoris in the control group and experimental group of patients. Neither patients nor researchers knew who belonged to which group. Name this type of study:
Correct answer	Double blind study
В	Simple blind study
С	Total-blind study
D	Multicenter study
E	Triple-blind study
№	krok 2019
Topic	Prevention in Public Health
Task	In a rural health care area there is an increasing cervical cancer morbidity observed. The decision is made to conduct a medical examination of the women living in thislocality. What type of medical examination is it?
Correct answer	Target
В	Screening
С	Complex
D	Preliminary
E	Regular
№	krok 2020
Topic	The methodology of the medical and social expertise of temporary and permanent disability
Task	A 37-year-old woman received an occupational trauma that resulted in a severe vision impairment. Now she needs to be trained for another occupation. What type of rehabilitation should the doctor choose for the patient in this case?
Correct answer	Occupational rehabilitation
В	Target rehabilitation

С	Psychological rehabilitation
D	Social rehabilitation
E	Medical rehabilitation
	krok 2020
Topic	Organization of primary medical care medical institutions on the basis of priority development of family medicine
Task	A 30-year-old woman made an appointment with the family doctor for scheduled vaccination of her 2-year-old child. What type of healthcare provides such medical services?
Correct answer	Primary healthcare
В	Emergency aid
С	Secondary healthcare
D	Tertiary healthcare
Е	Palliative care
№	krok 2020
Topic	Epidemiological studies in health care, their classification
Task	For 20 years the role of excessive weight in ischemic heart disease development among the working age male population over 40 was studied. It was determined that overweight men developed ischemic heart disease more often. What type of epidemiological study is it?
Correct answer	Cohort study
В	Case series report
С	Experimental study
D	Case-control study
Е	Case report
N⁰	krok 2020
Topic	Epidemiological studies in health care, their classification
Task	When planning treatment of a patient, it was decided to use a medicine with evidence level A. What trials produce the evidence that
	allows to classify the medicine as level A?
Correct answer	Data obtained from several randomized clinical trials
В	Expert consensus
С	Data obtained from one randomized clinical trial
D	Case-control studies
Е	Data obtained from many non-randomized clinical trials

№ krok 2020 Topic Health assessment based on a set of statistical indicators Task A district doctor has diagnosed one of his patients with dysentery. What accounting document reflects this type of morbidity Correct answer Urgent report B Certificate of temporary disability C Statistical report	/?
TaskA district doctor has diagnosed one of his patients with dysentery. What accounting document reflects this type of morbidityCorrect answerUrgent reportBCertificate of temporary disabilityCStatistical report	/?
Correct answer Urgent report B Certificate of temporary disability C Statistical report	
B Certificate of temporary disability C Statistical report	
C Statistical report	
D Report on a major non-epidemic disease	
E Control card of a patient registered for regular check-ups	
№ krok 2020	
Topic Communication and social mobilization in the interests of health	
Task What modern organizational method can provide the patients in the remote settlements with timely access to quality medica	aid and such
medical services as consulting, diagnostics, and treatment, especially in the situations when time and distance are crucial?	
Correct answer Telemedicine	
B Air medical services	
C Ambulance services	
D Field medical teams	
E Mobile communication	
№ Krok 2021	
Topic Standardization methods	
Task text During analysis of morbidity in the city, it was determined that age structure of population is different in each district. What method allows to exclude this factor, so that it would not skew the morbidity data?	statistical
Correct answer Standardization	
B Wilcoxon signed-rank test	
C Dynamic time series analysis	
D Analysis of average values	
E Correlation-regression analysis	
№ Krok 2021	
Topic Health Promotion.	
Task text A regional cardiologist is given a task to develop a plan for preventive measures aimed at decreasing cardiovascular mortali	y rates. What
measures should be planned for secondary prevention?	
Correct answer Referring patients for inpatient treatment	

В	Referring patients for sanatorium-and- spa treatment
С	Prevention of diseases
D	Optimization of lifestyle and living conditions
E	Prevention of recurrences and complications
N⁰	Krok 2021
Topic	Health Promotion.
Task text	To fight against the tobacco smoking, Ukraine has ratified the World Health Organization Framework Convention on Tobacco Control and
	prohibited public smoking. What type of prevention is it?
Correct answer	Public prevention
В	Individual prevention
С	Primary prevention
D	Secondary prevention,
Е	Tertiary prevention